



SUBARU **XV** |



SPECIFICATIONS

Item		Symmetrical AWD (All-Wheel Drive)						
		1.6i-N	1.6i-S	1.6i-S EyeSight	2.0i	2.0i-S	2.0i-S EyeSight	2.0i-S EyeSight
		1.6L Multi-Port Injection			2.0L Direct Injection			2.0L Direct Injection + Motor (e-BOXER)
Engine								
Type		Horizontally opposed, 4-cylinder, 4-stroke, petrol engine						
		DOHC 16-valve						
Bore/Stroke	mm	78.8 x 82.0			84.0 x 90.0			
Capacity	cc	1600			1995			
Compression ratio		11.0			12.5			
Fuel system		Multi-Port fuel Injection			Direct fuel Injection			
Fuel tank capacity	lit.	63						48
Performance								
Max. output (DIN)	kW (PS) /rpm	84 (114) / 6,200			115 (156) / 6,000			110 (150) / 6,000
Max. torque (DIN)	Nm (kgfm) /rpm	150 (15.3) / 3,600			196 (20.0) / 4,000			196 (20.0) / 4,000
Max. speed	km/h	175			194			193
Acceleration (0-100 km/h)	sec.	13.9			10.4			10.7
Fuel consumption*1	Urban	lit./100 km	9.4		9.7			7.5
	Extra-urban	lit./100 km	5.9					5.9
	Combined	lit./100 km	7.3					6.5
CO ₂ emissions*1	Urban	g/km	217		224			170
	Extra-urban	g/km	136					134
	Combined	g/km	165		168			147
Motor								
Type		—						Permanent magnet AC synchronous motor
Max. output	kW (PS)	—						12.3 (16.7)
Max. torque	Nm (kgfm)	—						66 (6.7)
Traction Battery								
Type		—						Lithium Ion battery
Max. output of Motor	kW	—						13.5
Voltage	V	—						118.4
Rated Capacity	Ah	—						4.8
Drivetrain								
All-Wheel Drive type		Active Torque Split AWD system						

*1 Fuel consumption and CO₂ emissions: according to UN R101-01.
*2 2.0i-S EyeSight (e-BOXER) with roof rails and 1.6i-N without roof rails have a height of 1595 mm. All other models with roof rails have a height of 1615 mm.
*3 Measured by VDA (V214).
*4 With Sunroof.

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

Item		Symmetrical AWD (All-Wheel Drive)							
		1.6i-N	1.6i-S	1.6i-S EyeSight	2.0i	2.0i-S	2.0i-S EyeSight	2.0i-S EyeSight	
		1.6L Multi-Port Injection			2.0L Direct Injection			2.0L Direct Injection + Motor (e-BOXER)	
									Lineartronic
Dimensions & weight									
Overall length		mm	4485						
Overall width		mm	1800						
Overall height*2		mm	1595	1615				1595	
Wheelbase		mm	2665						
Track	Front	mm	1550						
	Rear	mm	1555						
Minimum road clearance (at kerb weight)		mm	220						
Cargo volume*3		lit.	1240 / 1220*4					1173*4	
Seating capacity		persons	5						
Kerb weight		kg	1416	1455	1457	1427	1470	1473	1574
Towing capacity		kg	1400					1270	
Transmission									
Gear ratio	D range		3.601 - 0.513						
	1st		–	3.601 (Manual mode)				3.553 (Manual mode)	
	2nd		–	2.155 (Manual mode)				1.892 (Manual mode)	
	3rd		–	1.516 (Manual mode)				1.474 (Manual mode)	
	4th		–	1.092 (Manual mode)				1.228 (Manual mode)	
	5th		–	0.843 (Manual mode)				1.024 (Manual mode)	
	6th		–	0.667 (Manual mode)				0.852 (Manual mode)	
	7th		–	0.557 (Manual mode)				0.682 (Manual mode)	
	Reverse		3.689						
Final drive axle ratio		4.111			3.900			3.700	
Chassis									
Steering		Rack and pinion, electric power steering system							
Suspension (4-wheel independent)	Front	MacPherson strut type							
	Rear	Double wishbone type							
Minimum turning circle at tyre (radius)		m	5.4						
Brakes	Front	Ventilated disc brakes							
	Rear	Ventilated disc brakes							
Tyre/wheel size		225/60R17, 17 x 7"J				225/55R18, 18 x 7"J			

STANDARD AND OPTIONAL FEATURES

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)
	1.6i Multi-Port Injection			2.0i Direct Injection		2.0i Direct Injection + Motor	
Exterior							
Auto On/Off Headlamps	—	●	●	—	●	●	●
LED Headlamps with Auto-leveliser	—	—	●	—	●	●	●
Steering Responsive Headlights (SRH)	—	—	●	—	●	●	●
Pop-up Type Headlamp Washers	—	—	●	—	●	●	●
Front Fog Lamps	●	—	—	●	—	—	—
LED Front Fog Lamps	—	●	●	—	●	●	●
Rear Fog Lamp	●	●	●	●	●	●	●
Power-folding Door Mirrors	—	●	●	●	●	●	●
Key-linked Folding Door Mirrors	—	—	—	—	●	●	●
UV Protection Glass: Front and Rear Side Windows, Rear Quarters and Rear Window	—	—	—	●	●	●	●
UV Protection Glass: Front Side Windows	●	●	●	—	—	—	—
Privacy Glass for Rear Doors, Rear Quarters, and Rear Window	●	●	●	—	—	—	—
Automatic Rain-sensing Windshield Wipers	—	●	●	—	●	●	●
17-inch Aluminium-alloy Wheels (dark metallic)	●	●	●	●	—	—	—
18-inch Aluminium-alloy Wheels (dark metallic)	—	—	—	—	●	●	●
Side Claddings	●	●	●	●	●	●	●
Power-sliding, Tilt-adjustable Glass Sunroof	—	●	●	—	●	●	●
Carrier Installation Brackets	●	—	—	—	—	—	—
Roof Rails	—	●	●	●	●	●	—
Low-profile Roof Rails	—	—	—	—	—	—	●
Roof Spoiler	●	●	●	●	●	●	●
Standard on all models: ● LED Rear Combination Lamps ● Variable Intermittent Windshield Wipers ● Intermittent Rear Window Wiper ● Shark Fin Antenna							
Seating / Trims							
Leather-wrapped Steering Wheel with Orange Stitching	●	●	●	●	●	●	●
Leather-wrapped Steering Wheel with Blue Stitching	—	—	—	—	—	—	OP
Leather-wrapped Gearshift Knob	●	●	●	●	●	●	●
Standard Fabric Seats with Orange Stitching	●	—	—	●	—	—	—
Premium Fabric Seats with Orange Stitching	—	●	—	—	—	—	—
Leather Seats with Orange Stitching	—	—	●	—	●	●	●
Leather Seats with Blue Stitching	—	—	—	—	—	—	OP
6-way Manually-adjustable Driver's Seat	●	●	—	●	—	—	—
8-way Power-adjustable Driver's Seat	—	—	●	—	●	●	●
Driver's Position Memory Seat-linked Door Mirrors with Reverse Auto-tilt	—	—	●	—	●	●	●
60/40-split Folding Rear Seatbacks	●	●	●	●	●	●	●
5-Stage Adjustment Headrest	—	●	●	—	●	●	●
Seatback Pocket (front passenger seat)	●	●	●	●	●	●	●

*1 185/65R17 tyre.
*2 Driver's and passenger's front side window has auto up/down function with pinch protection.
*3 Equipped with WVGA centre display.
*4 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.
*5 Android and Android Auto are trademarks of Google Inc.

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)	2.0i Direct Injection + Motor (e-BOXER)
	1.6i Multi-Port Injection			2.0i Direct Injection				
Comfort / Convenience								
Keyless Access with Push-button Start System	—	●	●	●	●	●	●	●
PIN Code Access	—	●	●	●	●	●	●	●
Map Lights	●	●	—	●	●	—	—	—
Map Lights with Overhead Shower Light	—	—	—	—	—	●	●	—
Vanity Mirror with Cover (driver and front passenger)	●	—	—	●	—	—	—	—
Vanity Mirror with Cover and Lights (driver and front passenger)	—	●	●	—	●	●	●	●
Rear Seat Centre Armrest with 2 Cup Holders	—	●	●	●	●	●	●	●
Temporary Spare Tyre* ¹	●	●	●	●	●	●	●	—
Tyre Repair Kit	—	—	—	—	—	—	—	●
Standard on all models: ● Power Windows* ² ● Remote Control Key System ● Welcome Lighting ● One-touch Lane Change Signal ● Cargo Light ● Centre Console Box ● 2 Front Cup Holders (in centre console) ● Door Pockets with Bottle Holders (on all side doors) ● Two 12-volt Power Outlets (in centre panel and centre console box) ● Cargo Hooks ● Retractable Cargo Cover								
Climate Control								
Automatic Air-conditioning System	●	—	—	●	—	—	—	—
Dual-zone Automatic Air-conditioning System	—	●	●	—	●	●	●	●
Voice-controlled Air-conditioning	—	●	●	—	●	●	●	●
Electric Rear Windshield Defogger with Timer	●	●	●	●	●	●	●	●
Entertainment								
6.5-inch Display* ³ Audio System with 4 Speakers	●	—	—	—	—	—	—	—
6.5-inch Display* ³ Audio System with 6 Speakers	—	—	—	●	—	—	—	—
8-inch Display* ³ Audio System with 6 Speakers	—	●	●	—	●	●	●	●
8-inch Display* ³ Audio System with Navigation and 6 Speakers	—	—	OP	—	—	—	—	—
Apple CarPlay* ⁴ / Android Auto* ⁵ Infotainment System* ⁶	●	●	●	●	●	●	●	●
Voice Recognition System	●	●	●	●	●	●	●	●
Steering Wheel-mounted Audio Remote Control Switches	●	●	●	●	●	●	●	●
Bluetooth* ⁷ Audio Streaming and Hands-free Phone Connectivity	●	●	●	●	●	●	●	●
USB Port and Auxiliary Audio Input Jack (in centre panel)	●	—	—	●	—	—	—	—
Dual USB Ports and Auxiliary Audio Input Jack (in centre panel)	—	●	●	—	●	●	●	●
Dual USB Ports (inside centre console box)	—	●	●	●	●	●	●	●
Front View Monitor	—	—	OP	—	OP	●	●	●
Rear View Camera	—	●	●	—	●	●	●	●

*6 Apple CarPlay and/or Android Auto may not be available for all models and regions.
*7 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
*8 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).
*9 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

Item	1.6i-N	1.6i-S	1.6i-S Eyesight	2.0i	2.0i-S	2.0i-S Eyesight	2.0i-S Eyesight (e-BOXER)
	1.6L Multi-Port Injection			2.0L Direct Injection		2.0L Direct Injection + Motor (e-BOXER)	
Control / Instruments							
Dual-gauge Layout with Monochrome LCD Display	●	–	–	●	–	–	–
Dual-gauge Layout with 4.2-inch Full-colour LCD Display	–	●	●	–	●	●	●
6.3-inch Multifunction Display	–	●	●	–	●	●	●
Tilt-adjustable / Telescopic Steering Wheel	●	●	●	●	●	●	●
Paddle Shifters	–	●	●	●	●	●	●
Cruise Control	–	●	●	●	●	●	●
Adaptive Cruise Control	–	–	●	–	–	●	●
Aluminium Pedals	–	–	●	–	●	●	●
Drivability							
X-MODE	●	●	●	●	–	–	–
2X-MODE	–	–	–	–	●	●	●
Hill Descent Control	●	●	●	●	●	●	●
SI-DRIVE (SUBARU Intelligent Drive)*8	–	–	–	●	●	●	●
Auto Vehicle Hold	●	●	●	●	●	●	●
Active Torque Vectoring	●	●	●	●	●	●	●
Auto Start Stop	–	–	–	–	–	–	●
Vehicle Dynamics Control System	●	●	●	●	●	●	●
Electronic Parking Brake	●	●	●	●	●	●	●
Safety							
Front SRS** Airbags	●	●	●	●	●	●	●
Front Side SRS** Airbags (driver and front passenger)	●	●	●	●	●	●	●
Curtain SRS** Airbags (front and rear, both sides)	●	●	●	●	●	●	●
Knee SRS** Airbag (driver)	●	●	●	●	●	●	●
Subaru Rear Vehicle Detection (SRVD)	–	–	OP	–	OP	●	●
High Beam Assist (HBA)	–	–	OP	–	OP	●	●
Reverse Automatic Braking (RAB)	–	–	OP	–	–	●	●
Rear Seat Reminder	–	●	●	–	●	●	●
Standard on all models: • Whiplash-reducing Front Seats • Seatbelt Indicator • Height-adjustable Seatbelt Anchors (driver and front passenger) • Locking-tongue Front Seatbelts with Pretensioners and Load Limiters • Rear 3-point Seatbelts for 3 Seating Positions • 4-wheel Antilock Braking System (ABS) • Brake Assist System • Brake Override • ISO-FIX Adapted Child Seat Anchors (with tether anchors) • Child-proof Rear Door Locks (both sides) • Engine Immobiliser							

● : Standard OP : Option

Standard and optional features, model lineup may vary according to market.
Please contact your local authorised Subaru retailer for more details.

SUBARU CORPORATION

Printed in Japan (21SS GXE9 2020.09)